

HERBAL VACUUM FLASKS SERIES 1



* FEATURES:


- Body: Stainless steel/ Tinplate material, customized patterns and colors.
- Lid: PP Plastic / ABS / PC material, just press the button to get water, temperature display (optional).
- Bottom: PP Plastic / ABS material, skid resistance, easy to disassemble.
- Glass refill: Wide mouth, high quality, produced with Japanese technology, excellent heat retention rate.
- Gasket: Silicone material, resist leakage.
- Keep hot after 6 hours - keep cold in 12 hours.

* APPLICATIONS:

- Suitable for keeping water, coffee, tea, especially big-size herbal tea, and other drinks hot or cold for hours.



PRODUCT DETAILS



PRODUCT SPECIFICATIONS

Model	Capacity	Size (ØxH) (mm)	Gross weight of master box (kgs)	Dimension of master box (LxWxH) (mm)
RD-1300 TS1.E	1.3 liters~43.9 us fl.oz.	139x268	4.8	312x312x302
RD-1300 ST1.E	1.3 liters~43.9 us fl.oz.	137.5x268	4.8	312x312x302
RD-1300 TS1	1.3 liters~43.9 us fl.oz.	137.5x268	6.8	465x312x290
RD-1300 TS2.E	1.3 liters~43.9 us fl.oz.	139x268	4.8	312x312x302

Capacity: 23 million pieces per year

Customizable:

- Capacity: 1.3L
- Lid material: PP Plastic/ ABS Plastic/ PC Plastic
- Bottom material: PP Plastic/ ABS Plastic
- Body material: Tinplate/Stainless steel/Colored stainless steel, Anti/Not anti finger print
- Glass refill: White color, sided/middle suction pipe, waist-sealing technology, with/without pads
- Gasket: Silicone/ TPE
- Packaging: Carton box, duplex box, no box

PACKING AND TRANSPORTATION



Model	Quantity in master box (pcs)	Estimated quantity/ 20'DC (pcs)	Estimated quantity/ 40'HC (pcs)
RD-1300 TS1.E	4	3,840	8,880
RD-1300 ST1	4	3,840	3,880
RD-1300 TS1	6	4,020	9,450
RD-1300 TS2.E	4	3,840	8,880



Exported markets: South America, China, Middle East, Peru, Southeast Asia, Africa, South Asia



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87- 89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn / ralacoexport@gmail.com.vn



Specifications are subject to change without prior notice